UNIVERSITY OF CALIFORNIA Agriculture and Natural Resources

COVID-19 PREVENTATIVE MEASURES

CLEANING AND DISINFECTING REUSABLE BAGS

Current evidence suggests that novel coronavirus may remain viable for hours or days on a variety of surfaces. Cleaning followed by disinfection is recommended by the CDC as a best practice measure for prevention of COVID-19 and other viral respiratory illnesses in households and community settings.

At this time, there is no link between reusable bags and COVID-19.
Reusable bags are not considered a significant risk factor in the spread of COVID-19 and as such do not need to be banned from stores.

CLEANING AND DISINFECTING PLASTIC AND NYLON BAGS

- Clean inside and outside of the bag with soapy water and rinse.
- Spray or wipe down the bags inside and out with diluted bleach solution (see below) or recommended disinfectant.
- Allow bags to air dry completely before storing and using.
- CDC recommends diluted household bleach solutions, alcohol solutions with at least 70% alcohol, and compounds on the EPA-recommended list, found here: go.ncsu.edu/epacovid-19

CLEANING CLOTH BAGS

- Wash in warm water with normal laundry detergent.
- Dry on the warmest setting possible.
- See CDC guidelines on laundry go.ncsu.edu/cdclaundry

DILUTING BLEACH

- Follow manufacturer's label instructions for application and proper ventilation.
- Prepare a bleach solution by mixing:
 - 5 tablespoons (1/3 cup) bleach per gallon of water OR
 - 4 teaspoons bleach per quart of water
- Use containers of bleach that have been open no longer than 30 days, as bleach can break down over time.

It is always a good practice to clean and disinfect shopping bags after each use, and to pay extra attention to bags used to carry raw animal products.

For more info, visit:



