

Publications on the Microbial Safety of Wheat, Flour, and Cereal Grains

To report or cite, please use the following citation: Harris, L. J., J. Jung, and S. Yada. 2022. Publications on the microbial safety of wheat, flour, and cereal grains [Bibliography]. Available at: <https://ucfoodsafety.ucdavis.edu/low-moisture-foods/lmf-information-uc>.

GENERAL PUBLICATIONS

- Ardent Mills. 2016. Flour food safety. Ardent Mills Food Safety Team, Denver, CO. Available at: https://www.ardentmills.com/media/1090/ardent_mills_flour_food_safety_white_paper.pdf. [replaces Akins, 2014]
- Ardent Mills. 2019. Flour food safety: 10 FAQs and answers. Available at: <https://www.ardentmills.com/media/1747/faqs-flour-related-microbiological-risks.pdf>.
- Barrett, T., and Y. Feng. 2021. Content analysis of food safety implications in online flour-handling recipes. *British Food J.* 123:1024–1041. Available at: <https://doi.org/10.1108/BFJ-04-2020-0351>.
- BfR (German Federal Institute for Risk Assessment). 2020. *Escherichia coli* in flour – sources, risks and prevention. BfR opinion No. 004, 20 January 2020. Available at: <https://www.bfr.bund.de/cm/349/escherichia-coli-in-flour-sources-risks-and-prevention.pdf>.
- Byrd-Bredbenner, C., J. M. Abbot, V. Wheatley, D. Schaffner, C. Bruhn, and L. Blalock. 2008. Risky eating behaviors of young adults—implications for food safety education. *J. Amer. Diet. Assoc.* 108:549–552. <https://doi.org/10.1016/j.jada.2007.12.013> [raw cookie dough]
- Cechin, C. F., G. G. Carvalho, C. P. Bastos, and D. Y. Kabuki. 2022. *Cronobacter* spp. in foods of plant origin: occurrence, contamination routes, and pathogenic potential. *Crit. Rev. Food Sci. Nutr.* (online 22 July 2022).
- Centers for Disease Control and Prevention. 2016. Say no to raw dough! Available at: <https://www.cdc.gov/features/no-raw-dough/index.html>.
- Feng, Y., and J. C. Archila-Godínez. 2021. Consumer knowledge and behaviors regarding food safety risks associated with wheat flour. *J. Food Prot.* 84:628–638. Available at: <https://doi.org/10.4315/JFP-19-562>.
- Food Source Information. 2018. Flour. Colorado Integrated Food Safety Center of Excellence, Colorado State University, Fort Collins, CO. Available at: <https://fsi.colostate.edu/flour-draft/>.
- Gilbert, S., R. Lake, P. Cressey, and N. King. 2010. Risk profile: *Salmonella* (non typhoidal) in cereal grains. Institute of Environmental Science and Research Limited, Christchurch, New Zealand. Available at: <https://www.mpi.govt.nz/dmsdocument/24212-risk-profile-salmonella-non-typhoidal-in-cereal-grains>. [wheat, barley, maize, millet, oats, rice, rye, sorghum, triticale]
- Gill, A., T. McMahon, F. Dussault, K. Jinneman, R. Lindsey, H. Martin, D. Stoneburg, N. Strockbine, J. Wetherington, and P. Feng. 2022. Delayed lactose utilization among Shiga toxin-producing *Escherichia coli* of serogroup O121. *Food Microbiol.* 102:103903.
- Health Canada. 2017. Safe handling of flour. Information update, 27 June. Available at: <https://recalls-rappels.canada.ca/en/alert-recall/safe-handling-flour#who-personnes>.
- Jung, J., N. Olynk Widmar, S. Subramani, and Y. Feng. 2022. Online media attention devoted to flour and flour-related food safety in 2017 to 2020. *J. Food Prot.* 85:73–84.
- Laca, A., Z. Mousia, M. Díaz, C. Webb, and S. S. Pandiella. 2006. Distribution of microbial contamination within cereal grains. *J. Food Eng.* 72:332–338.

- Los, A., D. Ziuzina, and P. Bourke. 2018. Current and future technologies for microbiological decontamination of cereal grains. *J. Food Sci.* 83:1484–1493. Available at: <https://doi.org/10.1111/1750-3841.14181>.
- Ly, V., V. R. Parreira, and J. M. Farber. 2019. Current understanding and perspectives on *Listeria monocytogenes* in low-moisture foods. *Curr. Opin. Food Sci.* 26:18–24. [cereals, grains, wheat]
- Magallanes López, A. M., and S. Simsek. 2021. Pathogens control on wheat and wheat flour: a review. *Cereal Chem.* 98:17–30. Available at: <https://doi.org/10.1002/cche.10345>.
- Smith, S., and R. Beck. 2022. There are dangers lurking in your flour. PNW, 717, Washington State University Extension, Pullman, WA. Available at: <https://doi.org/10.7273/000002576>.
- Sperber, W. H., and the North American Millers' Association Microbiology Working Group. 2007. Role of microbiological guidelines in the production and commercial use of milled cereal grains: a practical approach for the 21st century. *J. Food Prot.* 70:1041–1053. [wheat, corn, oats]
- Taylor, B. J., A. R. Quinn, and A. Kataoka. 2019. *Listeria monocytogenes* in low-moisture foods and ingredients. *Food Control* 103:153–160. [wheat flour]
- U.S. Food and Drug Administration. 2017. Raw dough's a raw deal and could make you sick. Available at: <https://www.fda.gov/ForConsumers/ConsumerUpdates/ucm508450.htm>.
- Verrill, L., A. M. Lando, F. Wu, A. Tatavarthy, and D. Obenhuber. 2022. Consumption of raw flour in the United States: results from the 2019 US Food and Drug Administration Food Safety and Nutrition Survey. *J. Food Prot.* 85:31–35.

OUTBREAK REPORTS

- BC Centre for Disease Control. 2017. BCCDC advises British Columbians about a new outbreak of *E. coli* O121 associated with flour. May 19, 2017. Available at: <http://www.bccdc.ca/about/news-stories/stories/bccdc-advises-british-columbians-about-a-new-outbreak-of-e-coli-o121-associated-with-flour>.
- Beach, C. 2017. Rogers flour sold by Costco in Canada linked to new outbreak. *Food Safety News*, 20 May. Available at: <https://www.foodsafetynews.com/2017/05/rogers-flour-sold-by-costco-in-canada-linked-to-new-outbreak/#.WSWPK-vytyz>.
- Centers for Disease Control and Prevention. 1998. Multistate outbreak of *Salmonella* serotype Agona infections linked to toasted oats cereal – United States, April-May, 1998. *Morb. Mortal. Wkly. Rep.* 47(22):462–464.
- Centers for Disease Control and Prevention. 2008. Multistate outbreak of *Salmonella* infections associated with frozen pot pies—United States, 2007. *Morb. Mortal. Wkly. Rep.* 57(47):1277–1280. Available at: <https://www.cdc.gov/mmwr/preview/mmwrhtml/mm5747a3.htm>.
- Centers for Disease Control and Prevention. 2008. Multistate outbreak of *Salmonella* Agona infections linked to rice and wheat puff cereal (final update). Available at: <https://www.cdc.gov/salmonella/2008/rice-wheat-puff-cereal-5-13-2008.html>.
- Centers for Disease Control and Prevention. 2009. Multistate outbreak of *E. coli* O157:H7 infections linked to eating raw refrigerated, prepackaged cookie dough (final update). Available at: <https://www.cdc.gov/ecoli/2009/cookie-dough-6-30-2009.html>.
- Centers for Disease Control and Prevention. 2016. Multistate outbreak of Shiga toxin-producing *Escherichia coli* infections linked to flour (final update). Available at: <https://www.cdc.gov/ecoli/2016/o121-06-16/>.

- Centers for Disease Control and Prevention. 2018. Multistate outbreak of *Salmonella* Mbandaka infections linked to Kellogg's Honey Smacks Cereal (final update). Available at: <https://www.cdc.gov/salmonella/mbandaka-06-18/index.html>.
- Centers for Disease Control and Prevention. 2019. Outbreak of *Salmonella* infections (final update). Available at: <https://www.cdc.gov/salmonella/agbeni-11-18/index.html>.
- Centers for Disease Control and Prevention. 2019. Outbreak of *E. coli* infections linked to flour (final update). Available at: <https://www.cdc.gov/ecoli/2019/flour-05-19/index.html>.
- Centers for Disease Control and Prevention (CDC). 2021. *E. coli* outbreak linked to cake mix. Investigation notice, September 16. Available at: <https://www.cdc.gov/ecoli/2021/O121-07-21/index.html>.
- Crowe, S. J., L. Bottichio, L. N. Shade, B. M. Whitney, N. Corral, B. Melius, K. D. Arends, D. Donovan, J. Stone, K. Allen, J. Rosner, J. Beal, L. Whitlock, A. Blackstock, J. Wetherington, L. A. Newberry, M. N. Schroeder, D. Wagner, E. Trees, S. Viazis, M. E. Wise, and K. P. Neil. 2017. Shiga toxin-producing *E. coli* infections associated with flour. *New Eng. J. Med.* 377:2036–2043.
- Gieraltowski, L., C. Schwensohn, S. Meyer, D. Eikmeier, C. Medus, A. Sorenson, M. Forstner, A. Madad, J. Blankenship, P. Feng, and I. William. 2017. Notes from the field: Multistate outbreak of *Escherichia coli* O157:H7 infections linked to dough mix – United States, 2016. *Morb. Mortal. Wkly. Rep.* 66(3):88–89.
- Gill, A., C. Carrillo, M. Hadley, R. Kenwell, and L. Chui. 2019. Bacteriological analysis of wheat flour associated with an outbreak of Shiga toxin-producing *Escherichia coli* O121. *Food Microbiol.* 82:474–481.
- Hoffmann, M., J. Payne, R. J. Roberts, M. W. Allard, E. W. Brown, and J. B. Pettengill. 2015. Complete genome sequence of *Salmonella enterica* subsp. *enterica* serovar Agona 460004 2-1, associated with a multistate outbreak in the United States. *Genome Announc.* 3(4):e00690–15.
- Keaton, A. A., C. A. Schwensohn, J. M. Brandenburg, E. Pereira, B. Adcock, S. Tecle, R. H., ...and L. B. Gieraltowski. 2022. Multistate outbreak of *Salmonella* Mbandaka infections linked to sweetened puffed wheat cereal – United States, 2018. *Epidemiol. Infect.* 150:e135. Available at: <https://doi.org/10.1017/S095026882200108X>.
- Marler, B. 2019. Flour sickens 21 in 9 states with *E. coli* O26. *Food Poison Journal*, 11 July. Available at: <https://www.foodpoisonjournal.com/foodborne-illness-outbreaks/flour-sickens-21-in-9-states-with-e-coli-o26/>.
- McCallum, L., S. Paine, K. Sexton, M. Dufour, K. Dyet, M. Wilson, D. Campbell, D. Bandaranayake, and V. Hope. 2013. An outbreak of *Salmonella* Typhimurium phage type 42 associated with the consumption of raw flour. *Foodborne Pathog. Dis.* 10:159–164.
- Mody, R. K., S. Meyer, E. Trees, P. L. White, T. Nguyen, R. Sowadsky, O. L. Henao, P. C. Lafon, J. Austin, I. Azzam, P. M. Griffin, R.V. Tauxe, K. Smith, and I. T. Williams. 2014. Outbreak of *Salmonella enterica* serotype I 4,5,12:i:- infections: the challenges of hypothesis generation and microwave cooking. *Epidemiol. Infect.* 142:1050–1060. [“plausible source of contamination was raw flour; more likely source was raw mechanically separated poultry”]
- Morton, V., J. M. Cheng, D. Sharma, and A. Kearney. 2017. Notes from the field: An outbreak of Shiga toxin-producing *Escherichia coli* O121 infections associated with flour—Canada, 2016–2017. *Morb. Mortal. Wkly. Rep.* 66(26):705–706.
- Morton, V., T. Kershaw, A. Kearney, M. Taylor, E. Galanis, V. Mah, B. Adhikari, Y. Whitfield, C. Duchesne, L. Hoang, L. Chui, K. Grant, and A. Hexemer. 2020. The use of multiple hypothesis

- generating methods in an outbreak investigation of *E. coli* O121 infections associated with wheat flour, Canada 2016-2017. *Epidemiol. Infect.* 148:e265. Available at: <https://doi.org/10.1017/S0950268820002381>.
- Neil, K. P., G. Biggerstaff, J. K. MacDonald, E. Trees, C. Medus, K. A. Musser, S. G. Stroika, D. Zink, and M. J. Sotir. 2012. A novel vehicle for transmission of *Escherichia coli* O157:H7 to humans: multistate outbreak of *E. coli* O157:H7 infections associated with consumption of ready-to-bake commercial prepackaged cookie dough—United States, 2009. *Clinical Infect. Dis.* 54:511–518. Available at: <https://doi.org/10.1093/cid/cir831>.
- Public Health Agency of Canada. 2017. Public Health notice - Outbreak of *E. coli* infections linked to various flours and flour products. June 2, 2017 – Final update. Available at: <https://www.canada.ca/en/public-health/services/public-health-notices/2017/public-health-notice-outbreak-e-coli-infections-linked-various-flours-flour-products.html>.
- Robertson, J., J. Lin, P. N. Levett, C. Nadon, J. Nash, and C. Berry. 2018. Complete genome sequence of an *Escherichia coli* O121:H19 strain from an outbreak in Canada associated with flour. *Genome Announc.* 6(4):e01561-17. <https://mra.asm.org/content/6/4/e01561-17.short>.
- Russo, E. T., G. Biggerstaff, R. M. Hoekstra, S. Meyer, N. Patel, B. Miller, and R. Quick, for the *Salmonella* Agona Outbreak Investigation Team. 2013. A recurrent, multistate outbreak of *Salmonella* serotype Agona infections associated with dry, unsweetened cereal consumption, United States, 2008. *J. Food Prot.* 76:227–230.
- Silverstolpe, L., U. Plazikowski, J. Kjellander, and G. Vahlne. 1961. An epidemic among infants caused by *Salmonella muenchen*. *J. Appl. Bacteriol.* 24(2):134–142. [infant cereal with oats (contaminated in mill after processing barley contaminated with *S.*)]
- U.S. Food and Drug Administration. 2017. Final summary: FDA investigation of multistate outbreak of Shiga toxin-producing *E. coli* infections linked to flour. Available at: <https://www.fda.gov/food/outbreaks-foodborne-illness/fda-investigation-multistate-outbreak-shiga-toxin-producing-e-coli-infections-linked-flour>.
- U.S. Food and Drug Administration. 2019. FDA investigated recalled Duncan Hines cake mixes potentially linked to *Salmonella* Agbeni illnesses. Available at: <https://www.fda.gov/food/outbreaks-foodborne-illness/fda-investigated-recalled-duncan-hines-cake-mixes-potentially-linked-salmonella-agbeni-illnesses>.
- U.S. Food and Drug Administration. 2019. Outbreak investigation of *E. coli* O26 linked to ADM Milling Co. flour, May 2019. Available at: <https://www.fda.gov/food/outbreaks-foodborne-illness/outbreak-investigation-e-coli-o26-linked-adm-milling-co-flour-may-2019>.
- Zhang, G., L. Ma, N. Patel, B. Swaminathan, S. Wedel, and M. P. Doyle. 2007. Isolation of *Salmonella* Typhimurium from outbreak-associated cake mix. *J. Food Prot.* 70:997–1001.

SURVEY DATA

- Andrews, W. H., C. R. Wilson, P. L. Poelma, A. Romero, and P. B. Mislivec. 1979. Bacteriological survey of sixty health foods. *Appl. Environ. Microbiol.* 37:559–566. Available at: <https://aem.asm.org/content/aem/37/3/559.full.pdf>. [17 flours, 5 grains; positive for *Salmonella* in rye flour, brown rice]
- Berghofer, L. K., A. D. Hocking, D. Miskelly, and E. Jansson. 2003. Microbiology of wheat and flour milling in Australia. *Int. J. Food Microbiol.* 85:137–149.

- Boss, R., and J. Hummerjohann. 2019. Whole genome sequencing characterization of Shiga toxin-producing *Escherichia coli* isolated from flour from Swiss retail markets. *J. Food Prot.* 82:1398–1404.
- Eglezos, S. 2010. Microbiological quality of wheat grain and flour from two mills in Queensland, Australia. *J. Food Prot.* 73:1533–1536.
- Kindle, P., Etter, D., Stephan, R., and Johler, S. 2019. Population structure and toxin gene profiles of *Bacillus cereus sensu lato* isolated from flour products. *FEMS Microbiol. Lett.* 366:fnz240. Available at: <https://doi.org/10.1093/femsle/fnz240> [wheat, rye, others]
- Losio, M. N., E. Dalzini, E. Pavoni, D. Merigo, G. Finazzi, and P. Daminelli. 2017. A survey study on safety and microbial quality of “gluten-free” products made in Italian pasta factories. *Food Control* 73:316–322. [maize flour]
- Mäde, D., A.-C. Geuthner, R. Immig, and A. Wicke. 2017. Detection and isolation of Shiga-toxin producing *Escherichia coli* in flour in Germany between 2014 and 2017. *J. Consumer Prot. Food Safety* 12(3):245–253. Available at: <https://link.springer.com/article/10.1007/s00003-017-1113-1>. [wheat, rye]
- Myoda, S. P., S. Gilbreth, D. Akins-Lewenthal, S. K. Davidson, and M. Samadpour. 2019. Occurrence and levels of *Salmonella*, enterohemorrhagic *Escherichia coli*, and *Listeria* in raw wheat. *J. Food Prot.* 82:1022–1027. Available at: <https://jfoodprotection.org/doi/pdf/10.4315/0362-028X.JFP-18-345>.
- Ramaswami, L., R. Duchenne-Moutien, H. Ramguttty, M. Suharye, and H. Neetoo. 2021. Prevalence of emerging pathogens *Cronobacter* spp. and *Pantoea dispersa* in low moisture foods. *Food Prot. Trends* 41(4):416–422. [wheat flour]
- Remfry, S. E., R. G. Amachawadi, M. Atobatele, X. Shi, Q. Kang, R. K. Phebus, and T. G. Nagaraja. 2021. Shiga toxin-producing *Escherichia coli* in wheat grains: detection and isolation by polymerase chain reaction and culture methods. *Foodborne Path. Dis.* 18:752–760.
- Richter, K. S., E. Dorneanu, K. M. Eskridge, and C. S. Rao. 1993. Microbiological quality of flours. *Cereal Foods World* 38:367–369. [wheat]
- Rogers, R. F., and C. W. Hesseltine. 1978. Microflora of wheat and wheat flour from six areas of the United States. *Cereal Chem.* 55: 889–898. [APC, fungi]
- Sabillón, L., and A. Bianchini. 2016. From field to table: a review on the microbiological quality and safety of wheat-based products. *Cereal Chem.* 93:105–115.
- Sabillón, L., J. Stratton, D. J. Rose, T. H. Regassa, and A. Bianchini. 2016. Microbial load of hard red winter wheat produced at three growing environments across Nebraska, USA. *J. Food Prot.* 79: 646–654. Available at: <https://doi.org/10.4315/0362-028X.JFP-15-424>. [wheat]
- Sperber, W. H. 2003. Microbiology of milled cereal grains: issues in customer specifications. *International Association Operating Millers Technical Bulletin* 3:7929–7931. [wheat flour]
- Sperber, W. H., and the North American Millers’ Association Microbiology Working Group. 2007. Role of microbiological guidelines in the production and commercial use of milled cereal grains: a practical approach for the 21st century. *J. Food Prot.* 70:1041–1053. Available at: <https://jfoodprotection.org/doi/pdfplus/10.4315/0362-028X-70.4.1041>. [wheat, corn, oats]
- Zhang, H., E. Yamamoto, J. Murphy, C. Carrillo, K. Hardie, and A. Locas. 2021. Microbiological survey of wheat flour sold at retail in Canada, 2018–2019. *J. Food Prot.* 84:647–654. Available at: <https://doi.org/10.4315/JFP-20-297>.

WHEAT- OR GRAIN-SPECIFIC PUBLICATIONS

WHEAT

- Abushelaibi, A. A., J. N. Sofos, J. Samelis, and P. A. Kendall. 2003. Survival and growth of *Salmonella* in reconstituted infant cereal hydrated with water, milk or apple juice and stored at 4°C, 15°C and 25°C. *Food Microbiol.* 20:17–25. [wheat, oats, rice]
- Ahmad, N., I. M. Hildebrandt, S. R. Pickens, S. Vasquez, Y. Jin, S. Liu, L. A. Halik, H.-C. Tsai, S. K. Lau, R. C. D'Souza, S. Kumar, J. Subbiah, H. Thippareddi, M.-J. Zhu, J. Tang, N. M. Anderson, E. M. Grasso-Kelley, E. T. Ryser, and B. Marks. 2022. Interlaboratory evaluation of *Enterococcus faecium* NRRL B-2354 as a *Salmonella* surrogate for validating thermal treatment of multiple low-moisture foods. *J. Food Prot.* (online 20 June 2022). [wheat flour]
- Archer, J., E. T. Jervis, J. Bird, and J. E. Gaze. 1998. Heat resistance of *Salmonella weltevreden* in low-moisture environments. *J. Food Prot.* 61:969–973. Available at: <https://jfoodprotection.org/doi/pdf/10.4315/0362-028X-61.8.969>. [wheat flour]
- Atobatele, M. 2019. Detection of *Salmonella* in wheat grains. M.Sc. thesis. Kansas State University, Manhattan, KS.
- Aydin, A., P. Paulsen, and F. J. M. Smulders. 2009. The physico-chemical and microbiological properties of wheat flour in Thrace. *Turk. J. Agric. For.* 33:445–454. doi:10.3906/tar-0901-20
- Barrett, T., and Y. Feng. 2021. Content analysis of food safety implications in online flour-handling recipes. *British Food J.* 123:1024–1041. Available at: <https://doi.org/10.1108/BFJ-04-2020-0351>.
- BC Centre for Disease Control. 2017. BCCDC advises British Columbians about a new outbreak of *E. coli* O121 associated with flour. May 19, 2017. Available at: <http://www.bccdc.ca/about/news-stories/stories/bccdc-advises-british-columbians-about-a-new-outbreak-of-e-coli-o121-associated-with-flour>.
- Beach, C. 2017. Rogers flour sold by Costco in Canada linked to new outbreak. *Food Safety News*, 20 May. Available at: <http://www.foodsafetynews.com/2017/05/rogers-flour-sold-by-costco-in-canada-linked-to-new-outbreak/#.WSWPK-vytyz>.
- Berghofer, L. K., A. D. Hocking, D. Miskelly, and E. Jansson. 2003. Microbiology of wheat and flour milling in Australia. *Int. J. Food Microbiol.* 85:137–149.
- Boss, R., and J. Hummerjohann. 2019. Whole genome sequencing characterization of Shiga toxin-producing *Escherichia coli* isolated from flour from Swiss retail markets. *J. Food Prot.* 82:1398–1404.
- Canadian Food Inspection Agency. 2017. Canadian Food Inspection Agency's (CFIA) investigation into *E. coli* O121 in flour and flour products. Available at: <https://www.inspection.gc.ca/about-cfia/transparency/regulatory-transparency-and-openness/food-safety-investigations/e-coli-o121/eng/1492621159359/1492621214587>.
- Canadian Food Inspection Agency. 2018. Food safety investigation of *E. coli* O121 in flour products. Available at: <https://www.inspection.gc.ca/about-cfia/transparency/regulatory-transparency-and-openness/food-safety-investigations/flour-products-e-coli-o121/eng/1521138330972/1521138477096>.
- Cardoso, R. V. C., A. Fernandes, S. A. Heleno, P. Rodrigues, A. M. Gonzalez-Paramas, L. Barros, and I. C. F. R. Ferreira. 2019. Physicochemical characterization and microbiology of wheat and rye flours. *Food Chem.* 280:123–129.

- Centers for Disease Control and Prevention. 2008. Multistate outbreak of *Salmonella* Agona infections linked to rice and wheat puff cereal (final update). Available at: <https://www.cdc.gov/salmonella/2008/rice-wheat-puff-cereal-5-13-2008.html>.
- Centers for Disease Control and Prevention. 2008. Multistate outbreak of *Salmonella* infections associated with frozen pot pies — United States, 2007. *Morb. Mortal. Wkly. Rep.* 57(47):1277–1280. Available at: <https://www.cdc.gov/mmwr/preview/mmwrhtml/mm5747a3.htm>.
- Centers for Disease Control and Prevention. 2009. Multistate outbreak of *E. coli* O157:H7 infections linked to eating raw refrigerated, prepackaged cookie dough (final update). Available at: <https://www.cdc.gov/ecoli/2009/cookie-dough-6-30-2009.html>.
- Centers for Disease Control and Prevention. 2016. Multistate outbreak of Shiga toxin-producing *Escherichia coli* infections linked to flour (final update). Available at: <https://www.cdc.gov/ecoli/2016/o121-06-16/>.
- Centers for Disease Control and Prevention. 2018. Multistate outbreak of *Salmonella* Mbandaka infections linked to Kellogg’s Honey Smacks Cereal (final update). Available at: <https://www.cdc.gov/salmonella/mbandaka-06-18/index.html>.
- Centers for Disease Control and Prevention. 2019. Outbreak of *Salmonella* infections (final update). Available at: <https://www.cdc.gov/salmonella/agbeni-11-18/index.html>. [cake mix]
- Centers for Disease Control and Prevention. 2019. Outbreak of *E. coli* infections linked to flour (final update). Available at: <https://www.cdc.gov/ecoli/2019/flour-05-19/index.html>.
- Chen, D., Y. Cheng, P. Peng, J. Liu, Y. Wang, Y. Ma, E. Anderson, C. Chen, P. Chen, and R. Ruan. 2019. Effects of intense pulsed light on *Cronobacter sakazakii* and *Salmonella* surrogate *Enterococcus faecium* inoculated in different powdered foods. *Food Chem.* 296:23–28. [wheat flour]
- Chen, Y.-X., X.-N. Guo, J.-J. Xing, X.-H. Sun, and K.-X. Zhu. 2020. Effects of wheat tempering with slightly acidic electrolyzed water on the microbial, biological, and chemical characteristics of different flour streams. *LWT – Food Sci. Technol.* 118:108790.
- Crowe, S. J., L. Bottichio, L. N. Shade, B. M. Whitney, N. Corral, B. Melius, K. D. Arends, D. Donovan, J. Stone, K. Allen, J. Rosner, J. Beal, L. Whitlock, A. Blackstock, J. Wetherington, L. A. Newberry, M. N. Schroeder, D. Wagner, E. Trees, S. Viazis, M. E. Wise, and K. P. Neil. 2017. Shiga toxin-producing *E. coli* infections associated with flour. *New Eng. J. Med.* 377:2036–2043.
- Crumrine, M. H., and V. D. Foltz. 1969. Survival of *Salmonella montevideo* on wheat stored at constant relative humidity. *Appl. Microbiol.* 18:911–914. Available at: <https://aem.asm.org/content/aem/18/5/911.full.pdf>.
- Crumrine, M. H., V. D. Foltz, and J. O. Harris. 1971. Transmission of *Salmonella montevideo* in wheat by stored-product insects. *Appl. Microbiol.* 224:578–580. Available at: <https://aem.asm.org/content/aem/22/4/578.full.pdf>.
- Dack, G. M. 1961. Public health significance of flour bacteriology. *Cereal Sci. Today* 6:9–12.
- Daryaei, H., Q. Sui, H. Liu, A. Rehkopf, W. Peñaloza, A. Rytz, Y. Luo, and J. Wan. 2020. Heat resistance of Shiga toxin-producing *Escherichia coli* and potential surrogates in wheat flour at two moisture levels. *Food Control* 108:106788. Available at: <https://doi.org/10.1016/j.foodcont.2019.106788>.
- de Senna, T., S. J. Abd, E. Borjas, A. Nillo, and C. Ferstl. 2021. Reduction of *Salmonella enterica* and pathogenic *Escherichia coli* in pasta by using common cooking methods. *Food Prot. Trends*

- 41(5):476–484. Available at: <https://www.foodprotection.org/files/food-protection-trends/sep-oct-21-de-senna.pdf>. [wheat flour pasta]
- Dhillon, B., H. Sandhu, D. Wiesenborn, F. Manthey, and C. Wolf-Hall. 2007. A comparison between chlorinated water and ozonated water as an antimicrobial treatment during tempering of wheat, (paper no. 076169). American Society of Agricultural and Biological Engineers (ASABE) 2007 Annual International Meeting, Minneapolis, MN, June 17–20.
- Du, L., A. J. Prasad, M. Gänzle, and M. S. Roopesh. 2020. Inactivation of *Salmonella* spp. in wheat flour by 395 nm pulsed light emitting diode (LED) treatment and the related functional and structural changes of gluten. *Food Res. Int.* 127:108716. Available at: <https://doi.org/10.1016/j.foodres.2019.108716>.
- Eglezos, S. 2010. Microbiological quality of wheat grain and flour from two mills in Queensland, Australia. *J. Food Prot.* 73:1533–1536.
- Feng, Y., and J. C. Archila-Godínez. 2021. Consumer knowledge and behaviors regarding food safety risks associated with wheat flour. *J. Food Prot.* 84:628–638. Available at: <https://doi.org/10.4315/JFP-19-562>.
- Food Source Information. 2018. Flour. Colorado Integrated Food Safety Center of Excellence, Colorado State University, Fort Collins, CO. Available at: <https://fsi.colostate.edu/flour-draft/>.
- Forghani, F., M. den Bakker, A. N. Futral, and F. Diez-Gonzalez. 2018. Long-term survival and thermal death kinetics of enterohemorrhagic *Escherichia coli* serogroups O26, O103, O111 and O157 in wheat flour. *Appl. Environ. Microbiol.* 84:e00283–18. Available at: <https://doi.org/10.1128/AEM.00283-18>.
- Forghani, F., M. den Bakker, J.-Y. Liao, A. S. Payton, A. N. Futral, and F. Diez-Gonzalez. 2019. *Salmonella* and enterohemorrhagic *Escherichia coli* serogroups O45, O121, O145 in wheat flour: Effects of long-term storage and thermal treatments. *Front. Microbiol.* 10:323. Available at: <https://doi.org/10.3389/fmicb.2019.00323>.
- Forghani, F., S. Li, S. Zhang, D. A. Mann, X. Deng, H. C. den Bakker, and F. Diez-Gonzalez. 2020. *Salmonella enterica* and *Escherichia coli* in wheat flour: detection and serotyping by a quasimetagenomic approach assisted by magnetic capture, multiple-displacement amplification, and real-time sequencing. *Appl. Environ. Microbiol.* 86:e00097-20. Available at: <https://doi.org/10.1128/AEM.00097-20>.
- Fudge, J., M. Dunn, O. Pike, R. Robison, and F. Steele. 2016. The isolation and identification of *Pantoea dispersa* strain JFS as a non-pathogenic surrogate for *Salmonella* Typhimurium phage type 42 in flour. *Int. J. Food Microbiol.* 219:1–6.
- Gieraltowski, L., C. Schwensohn, S. Meyer, D. Eikmeier, C. Medus, A. Sorenson, M. Forstner, A. Madad, J. Blankenship, P. Feng, and I. William. 2017. Notes from the field: Multistate outbreak of *Escherichia coli* O157:H7 infections linked to dough mix – United States, 2016. *Morb. Mortal. Wkly. Rep.* 66(3):88–89.
- Gilbert, S., R. Lake, P. Cressey, and N. King. 2010. Risk profile: *Salmonella* (non typhoidal) in cereal grains. Institute of Environmental Science and Research Limited, Christchurch, New Zealand. Available at: <https://www.mpi.govt.nz/dmsdocument/24212-risk-profile-salmonella-non-typhoidal-in-cereal-grains>. [wheat, barley, maize, millet, oats, rice, rye, sorghum, triticale]
- Gill, A., C. Carrillo, M. Hadley, R. Kenwell, and L. Chui. 2019. Bacteriological analysis of wheat flour associated with an outbreak of Shiga toxin-producing *Escherichia coli* O121. *Food Microbiol.* 82:474–481.

- Gill, A., T. McMahon, F. Dussault, and N. Petronella. 2020. Shiga toxin-producing *Escherichia coli* survives storage in wheat flour for two years. *Food Microbiol.* 87:103380.
- Greene, S. E. L. 2012. Thermal inactivation of *Escherichia coli* O157:H7 and *Salmonella* Agona in wheat flour. M.Sc. thesis. Virginia Polytechnic Institute and State University, Blacksburg, VA.
- Hemery, Y. M., L. Fontan, A. Laillou, V. Jallier, R. Moench-Pfanner, S. Avallone, and J. Berger. 2020. Influence of storage conditions and packaging of fortified wheat flour on microbial load and stability of folate and vitamin B12. *Food Chem. X* 5:100076. Available at: <https://doi.org/10.1016/j.fochx.2019.100076>.
- Hesseltine, C. W. 1968. Flour and wheat: research on their microbiological flora. *Bakers Dig.* 42:40–46.
- Hesseltine, C. W., and R. R. Graves. 1966. Microbiology of flours. *Economic Botany* 20(2):156–168. [wheat, corn]
- Hildebrandt, I. M., B. P. Marks, E. T. Ryser, R. Villa-Rojas, J. Tang, F. J. Garces-Vega, and S. E. Buchholz. 2016. Effects of inoculation procedures on variability and repeatability of *Salmonella* thermal resistance in wheat flour. *J. Food Prot.* 79:1833–1839. Available at: <https://doi.org/10.4315/0362-028X.JFP-16-057>.
- Hu, Y., W. Nie, X. Hu, and Z. Li. 2016. Microbial decontamination of wheat grain with superheated steam. *Food Control* 62:264–269. [*Bacillus* spp.]
- Husted, S. R., R. B. Mills, V. D. Foltz, and M. H. Crumrine. 1969. Transmission of *Salmonella montevideo* from contaminated to clean wheat by the rice weevil. *J. Economic Entomol.* 62:1489–1491.
- Ibanoglu, S. 2001. Influence of tempering with ozonated water on the selected properties of wheat flour. *J. Food Eng.* 48:345–350.
- Jeong, S.-G., and D.-H. Kang. 2017. Inactivation of *Escherichia coli* O157: H7, *Salmonella* Typhimurium, and *Listeria monocytogenes* in ready-to-bake cookie dough by gamma and electron beam irradiation. *Food Microbiol.* 64:172–178.
- Jung, J., and L. J. Harris. 2023. Survival of *Salmonella* and Shiga toxin-producing *Escherichia coli* during tempering of wheat berries. *Food Control* 144:109343. Available at: <https://doi.org/10.1016/j.foodcont.2022.109343>. (online 25 August 2022)
- Jung, J., and D. W. Schaffner. 2022. Thermal inactivation of *Salmonella enterica* and nonpathogenic bacterial surrogates in wheat flour by baking in a household oven. *J. Food Prot.* 85:1431–1438.
- Kindle, P., Etter, D., Stephan, R., and Johler, S. 2019. Population structure and toxin gene profiles of *Bacillus cereus sensu lato* isolated from flour products. *FEMS Microbiol. Lett.* 366:fnz240. Available at: <https://doi.org/10.1093/femsle/fnz240> [wheat, oats, rye]
- Kindle, P., M. Nüesch-Inderbinen, N. Cernela, and R. Stephan. 2019. Detection, isolation, and characterization of Shiga toxin-producing *Escherichia coli* in flour. *J. Food Prot.* 82:164–167.
- Lauer, J. R., S. Simsek, and T. M. Bergholz. 2021. Fate of *Salmonella* and enterohemorrhagic *Escherichia coli* on wheat grain. *J. Food Prot.* 84:2109–2115.
- Li, M., J. Peng, K.-X. Zhu, X.-N. Guo, M. Zhang, W. Peng, H.-M. Zhou. 2013. Delineating the microbial and physical-chemical changes during storage of ozone treated wheat flour. *Innovative Food Sci. Emerg. Technol.* 20:223–229.
- Lin, Y., S. Simsek, and T. M. Bergholz. 2022. Impact of chlorinated water on pathogen inactivation during wheat tempering and resulting flour quality. *J. Food Prot.* 85:1210–1220.

- Lin, B., Y. Zhu, L. Zhang, R. Xu, X. Guan, X. Kou, and S. Wang. 2020. Effect of physical structures of food matrices on heat resistance of *Enterococcus faecium* NRRL-2356 in wheat kernels, flour and dough. *Foods* 9:1890.
- Liu, S., S. E. Keller, and N. M. Anderson. 2022. Transfer of *Salmonella* from inert food contact surfaces to wheat flour, cornmeal, and NaCl. *J. Food Prot.* 85:231–237.
- Liu, S., S. Ozturk, J. Xu, F. Kong, P. Gray, M.-J. Zhu, S. S. Sablani, and J. Tang. 2018. Microbial validation of radio frequency pasteurization of wheat flour by inoculated pack studies. *J. Food Eng.* 217:68–74.
- Liu, S., R. V. Rojas, P. Gray, M.-J. Zhu, and J. Tang. 2018. *Enterococcus faecium* as a *Salmonella* surrogate in the thermal processing of wheat flour: influence of water activity at high temperatures. *Food Microbiol.* 74:92–99.
- Los, A., D. Ziuzina, S. Akkermans, D. Boehm, P. J. Cullen, J. Van Impe, and P. Bourke. 2018. Improving microbiological safety and quality characteristics of wheat and barley by high voltage atmospheric cold plasma closed processing. *Food Res. Int.* 106:509–521.
- Mäde, D., A.-C. Geuthner, R. Imming, and A. Wicke. 2017. Detection and isolation of Shiga-toxin producing *Escherichia coli* in flour in Germany between 2014 and 2017. *J. Consumer Prot. Food Safety* 12(3):245–253. Available at: <https://link.springer.com/article/10.1007/s00003-017-1113-1>. [wheat, rye]
- Magallanes López, A. M., and S. Simsek. 2021. Pathogens control on wheat and wheat flour: a review. *Cereal Chem.* 98:17–30. Available at: <https://doi.org/10.1002/cche.10345>.
- Martinez, B., J. Stratton, A. Bianchini, S. Wegulo, and G. Weaver. 2015. Transmission of *Escherichia coli* O157:H7 to internal tissues and its survival on flowering heads of wheat. *J. Food Prot.* 78:518–524.
- McCallum, L., S. Paine, K. Sexton, M. Dufour, K. Dyet, M. Wilson, D. Campbell, D. Bandaranayake, and V. Hope. 2013. An outbreak of *Salmonella* Typhimurium phage type 42 associated with the consumption of raw flour. *Foodborne Pathog. Dis.* 10:159–164.
- Michael, M., J. C. Acuff, D. Vega, A. S. Sekhon, L. H. Channaiah, and R. K. Phebus. 2022. Survivability and thermal resistance of *Salmonella* and *Escherichia coli* O121 in wheat flour during extended storage of 360 days. *Int. J. Food Microbiol.* 362:109495.
- Mody, R. K., S. Meyer, E. Trees, P. L. White, T. Nguyen, R. Sowadsky, O. L. Henao, P. C. Lafon, J. Austin, I. Azzam, P. M. Griffin, R. V. Tauxe, K. Smith, and I. T. Williams. 2014. Outbreak of *Salmonella enterica* serotype I 4,5,12:i:- infections: the challenges of hypothesis generation and microwave cooking. *Epidemiol. Infect.* 142:1050–1060. [“plausible source of contamination was raw flour; more likely source was raw mechanically separated poultry”]
- Morton, V., J. M. Cheng, D. Sharma, and A. Kearney. 2017. Notes from the field: An outbreak of Shiga toxin-producing *Escherichia coli* O121 infections associated with flour—Canada, 2016–2017. *Morb. Mortal. Wkly. Rep.* 66(26):705–706.
- Morton, V., T. Kershaw, A. Kearney, M. Taylor, E. Galanis, V. Mah, B. Adhikari, Y. Whitfield, C. Duchesne, L. Hoang, L. Chui, K. Grant, and A. Hexemer. 2020. The use of multiple hypothesis generating methods in an outbreak investigation of *E. coli* O121 infections associated with wheat flour, Canada 2016–2017. *Epidemiol. Infect.* 148:e265. Available at: <https://doi.org/10.1017/S0950268820002381>.
- Myoda, S. P., S. Gilbreth, D. Akins-Lewenthal, S. K. Davidson, and M. Samadpour. 2019. Occurrence and levels of *Salmonella*, enterohemorrhagic *Escherichia coli*, and *Listeria* in raw

- wheat. *J. Food Prot.* 82:1022–1027. Available at: <https://jfoodprotection.org/doi/pdf/10.4315/0362-028X.JFP-18-345>.
- Neil, K. P., G. Biggerstaff, J. K. MacDonald, E. Trees, C. Medus, K. A. Musser, S. G. Stroika, D. Zink, and M. J. Sotir. 2012. A novel vehicle for transmission of *Escherichia coli* O157:H7 to humans: multistate outbreak of *E. coli* O157:H7 infections associated with consumption of ready-to-bake commercial prepackaged cookie dough—United States, 2009. *Clinical Infect. Dis.* 54:511–518. Available at: <https://doi.org/10.1093/cid/cir831>.
- Pao, S., C. Kim, L. Jordan, Jr., W. Long III, P. Inserra, and B. Sayre. 2011. Growth of *Salmonella enterica* and *Staphylococcus aureus* in no-knead bread dough during prolonged yeast fermentation. *J. Food Prot.* 74:285–288.
- Projahn, M., M. C. Lamparter, P. Ganas, A. Goehler, S. C. Lorenz-Wright, D. Maede, A. Fruth, C. Lang, and E. Schuh. 2021. Genetic diversity and pathogenic potential of Shiga toxin-producing *Escherichia coli* (STEC) derived from German flour. *Int. J. Food Microbiol.* 347:109197. Available at: <https://doi.org/10.1016/j.ijfoodmicro.2021.109197>. [wheat, spelt, rye]
- Public Health Agency of Canada. 2017. Public Health notice - Outbreak of *E. coli* infections linked to various flours and flour products. June 2, 2017 – Final update. Available at: <https://www.canada.ca/en/public-health/services/public-health-notices/2017/public-health-notice-outbreak-e-coli-infections-linked-various-flours-flour-products.html>.
- Quinn, A. R., R. F. Liao, F. M. Steele, L. K. Jefferies, and B. J. Taylor. 2021. Isothermal inactivation of *Salmonella*, *Listeria monocytogenes*, and *Enterococcus faecium* NRRL B-2354 in peanut butter, powder infant formula, and wheat flour. *Food Control* 121:107582. Available at: <https://doi.org/10.1016/j.foodcont.2020.107582>.
- Remfry, S. E., R. G. Amachawadi, M. Atobatele, X. Shi, Q. Kang, R. K. Phebus, and T. G. Nagaraja. 2021. Shiga toxin-producing *Escherichia coli* in wheat grains: detection and isolation by polymerase chain reaction and culture methods. *Foodborne Path. Dis.* 18:752–760.
- Richter, K. S., E. Dorneanu, K. M. Eskridge, and C. S. Rao. 1993. Microbiological quality of flours. *Cereal Foods World* 38:367–369.
- Rivera, J., A. Deliephan, J. Dhakal, C. G. Aldrich, and K. Siliveru. 2021. Significance of sodium bisulfate (SBS) tempering in reducing the *Escherichia coli* O121 and O26 load of wheat and its effects on wheat flour quality. *Foods* 10(7):1479. Available at: <https://doi.org/10.3390/foods10071479>.
- Rivera, J., R. K. Phebus, S. D. Prakash, and K. Siliveru. 2021. Effects of acidic water tempering and heat treatment on the Shiga toxin-producing *Escherichia coli* (O121 and O26) load of wheat during tempering and its impact on wheat flour quality. *J. Food Proc. Preserv.* Article e16155. (online 12 November 2021)
- Rivera, J., M. K. Pulivarthi, D. P. Shivaprasad, R. Phebus, C. G. Aldrich, and K. Siliveru. 2022. Quantifying *Escherichia coli* contamination in milling equipment during lab scale milling operations. *Cereal Chem.* 99:1124–1136.
- Rivera, J., M. K. Pulivarthi, D. P. Shivaprasad, R. Phebus, C. G. Aldrich, and K. Siliveru. 2022. Significance of wheat milling operations on the distribution of *Escherichia coli* bacterium into milling fractions. *Cereal Chem.* 99:1137–1153.
- Robertson, J., J. Lin, P. N. Levett, C. Nadon, J. Nash, and C. Berry. 2018. Complete genome sequence of an *Escherichia coli* O121:H19 strain from an outbreak in Canada associated with flour. *Genome Announc.* 6(4):e01561-17. <https://mra.asm.org/content/6/4/e01561-17.short>.

- Rogers, R. F. 1978. *Bacillus* isolates from refrigerated doughs, wheat flour, and wheat. *Cereal Chem.* 55:671–674. Available at: <https://pubag.nal.usda.gov/download/28396/pdf>.
- Rogers, R. F., and C. W. Hesseltine. 1978. Microflora of wheat and wheat flour from six areas of the United States. *Cereal Chem.* 55:889–898. [APC, fungi]
- Rose, D. J., A. Bianchini, B. Martinez, and R. A. Flores. 2012. Methods for reducing microbial contamination of wheat flour and effects on functionality. *Cereal Foods World* 57:104–109. Available at: <https://aaccipublications.aaccnet.org/doi/pdf/10.1094/CFW-57-3-0104>.
- Russo, E. T., G. Biggerstaff, R. M. Hoekstra, S. Meyer, N. Patel, B. Miller, and R. Quick, for the *Salmonella* Agona Outbreak Investigation Team. 2013. A recurrent, multistate outbreak of *Salmonella* serotype Agona infections associated with dry, unsweetened cereal consumption, United States, 2008. *J. Food Prot.* 76:227–230. [puffed wheat or rice]
- Sabillón Galeas, L. 2014. Understanding the factors affecting microbiological quality of wheat milled products: from wheat fields to milling operations. M.S. thesis. University of Nebraska–Lincoln, Lincoln. Available at: <https://digitalcommons.unl.edu/foodscidiss/49/>.
- Sabillón, L., and A. Bianchini. 2016. From field to table: a review on the microbiological quality and safety of wheat-based products. *Cereal Chem.* 93:105–115.
- Sabillón, L., J. Stratton, D. Rose, and A. Bianchini. 2020. Reduction in pathogenic load of wheat by tempering with saline organic acid solutions at different seasonal temperatures. *Int. J. Food Microbiol.* 313:108381.
- Sabillón, L., J. Stratton, D. Rose, and A. Bianchini. 2021. Microbiological survey of equipment and wheat-milled fractions of a milling operation. *Cereal Chem.* 98:44–51.
- Sabillón, L., J. Stratton, D. J. Rose, R. A. Flores, and A. Bianchini. 2016. Reduction in microbial load of wheat by tempering with organic acid and saline solutions. *Cereal Chem.* 93: 638–646.
- Sabillón, L., J. Stratton, D. J. Rose, T. H. Regassa, and A. Bianchini. 2016. Microbial load of hard red winter wheat produced at three growing environments across Nebraska, USA. *J. Food Prot.* 79:646–654. Available at: <https://doi.org/10.4315/0362-028X.JFP-15-424>.
- Santillana Farakos, S. M., D. W. Schaffner, and J. F. Frank. 2014. Predicting survival of *Salmonella* in low–water activity foods: An analysis of literature data. *J. Food Prot.* 77:1448–1461. Available at: <https://jfoodprotection.org/doi/abs/10.4315/0362-028X.JFP-14-013>. [wheat flour, dried pasta]
- Shridhar, P. B., R. G. Amachawadi, M. Atobatele, X. Shi, P. A. Adams, R. K. Phebus, and T. G. Nagaraja. 2021. Draft genome sequences of *Salmonella enterica* subsp. *diarizonae* serotype IIIb_61: I, v: 1, 5,(7) strains isolated from wheat grains. *Microbiol. Res. Announc.* 10:e00035-21. Available at: <https://doi.org/10.1128/MRA.00035-21>.
- Simsek, S., J. Snelling, S. Malekmohammadi, and T. M. Bergholz. 2021. Vacuum steam treatment of soft wheat: quality and reduction of *Escherichia coli* O121 and *Salmonella* Enteritidis PT30. *Cereal Chem.* 98:123–134. Available at: <https://doi.org/10.1002/cche.10356>.
- Smith, D. F., I. M. Hildebrandt, K. E. Casulli, K. D. Dolan, and B. P. Marks. 2016. Modeling the effect of temperature and water activity on the thermal resistance of *Salmonella* Enteritidis PT 30 in wheat flour. *J. Food Prot.* 79:2058–2065. doi: 10.4315/0362-028X.JFP-16-155
- Smith, D. F., and B. P. Marks. 2015. Effect of rapid product desiccation or hydration on thermal resistance of *Salmonella enterica* serovar Enteritidis PT 30 in wheat flour. *J. Food Prot.* 78:281–286.
- Smith, S., and R. Beck. 2022. There are dangers lurking in your flour. PNW, 717, Washington State University Extension, Pullman, WA. Available at: <https://doi.org/10.7273/000002576>.

- Snelling, J., S. Malekmohammadi, T. M. Bergholz, J. Ohm, and S. Simsek. 2020. Evaluation of vacuum steam treatment of hard red spring wheat on flour quality and reduction of *Escherichia coli* O121 and *Salmonella* Enteritidis PT 30. *J. Food Prot.* 83:836–843. Available at: <https://doi.org/10.4315/JFP-19-491>.
- Sperber, W. H. 2003. Microbiology of milled cereal grains: issues in customer specifications. *International Association Operating Millers Technical Bulletin* 3:7929–7931.
- Sperber, W. H., and the North American Millers' Association Microbiology Working Group. 2007. Role of microbiological guidelines in the production and commercial use of milled cereal grains: a practical approach for the 21st century. *J. Food Prot.* 70:1041–1053. Available at: <https://doi.org/10.4315/0362-028X-70.4.1041>. [wheat, corn, oats]
- Steinbrunner, P. J., P. Limcharoenchat, Q. J. Suehr, E. T. Ryser, B. P. Marks, and S. Jeong. 2019. Effect of food structure, water activity, and long-term storage on X-ray irradiation for inactivating *Salmonella* Enteritidis PT30 in low-moisture foods. *J. Food Prot.* 82:1405–1411. [wheat kernels, flour]
- Subedi, S., L. Du, A. Prasad, B. Yadav, and M. S. Roopesh. 2020. Inactivation of *Salmonella* and quality changes in wheat flour after pulsed light-emitting diode (LED) treatments. *Food Bioprod. Process.* 121:166–177.
- Suehr, Q. J., N. M. Anderson, and S. E. Keller. 2019. Desiccation and thermal resistance of *Escherichia coli* O121 in wheat flour. *J. Food Prot.* 82:1308–1313.
- Syamaladevi, R. M., R. K. Tadapaneni, J. Xu, R. Villa-Rojas, J. Tang, B. Carter, S. Sablani, and B. Marks. 2016. Water activity change at elevated temperatures and thermal resistance of *Salmonella* in all purpose wheat flour and peanut butter. *Food Res. Int.* 81:163–170.
- Taylor, B. J., A. R. Quinn, and A. Kataoka. 2019. *Listeria monocytogenes* in low-moisture foods and ingredients. *Food Control* 103:153–160. [wheat flour]
- Taylor, M. H., H.-C. Tsai, B. Rasco, J. Tang, and M.-J. Zhu. 2018. Stability of *Listeria monocytogenes* in wheat flour during extended storage and isothermal treatment. *Food Control* 91:434–439.
- Thomas-Popo, E., A. Mendonça, N. N. Misra, A. Little, Z. Wan, R. Moutiq, S. Coleman, and K. Keener. 2019. Inactivation of Shiga-toxin-producing *Escherichia coli*, *Salmonella enterica* and natural microflora on tempered wheat grains by atmospheric cold plasma. *Food Control* 104:231–239.
- U.S. Food and Drug Administration. 2017. Final summary: FDA investigation of multistate outbreak of Shiga toxin-producing *E. coli* infections linked to flour. Available at: <https://www.fda.gov/food/outbreaks-foodborne-illness/fda-investigation-multistate-outbreak-shiga-toxin-producing-e-coli-infections-linked-flour>.
- U.S. Food and Drug Administration. 2017. Raw dough's a raw deal and could make you sick. Available at: <https://www.fda.gov/ForConsumers/ConsumerUpdates/ucm508450.htm>.
- U.S. Food and Drug Administration. 2019. FDA investigated recalled Duncan Hines cake mixes potentially linked to *Salmonella* Agbeni illnesses. Available at: <https://www.fda.gov/food/outbreaks-foodborne-illness/fda-investigated-recalled-duncan-hines-cake-mixes-potentially-linked-salmonella-agbeni-illnesses>.
- U.S. Food and Drug Administration. 2019. Outbreak investigation of *E. coli* O26 linked to ADM Milling Co. flour, May 2019. Available at: <https://www.fda.gov/food/outbreaks-foodborne-illness/outbreak-investigation-e-coli-o26-linked-adm-milling-co-flour-may-2019>.

- Villa-Rojas, R., M.-J. Zhu, N. C. Paul, P. Gray, J. Xu, D. H. Shah, and J. Tang. 2017. Biofilm forming *Salmonella* strains exhibit enhanced thermal resistance in wheat flour. *Food Control* 73:689–695.
- Villa-Rojas, R., M.-J. Zhu, B. P. Marks, and J. Tang. 2017. Radiofrequency inactivation of *Salmonella* Enteritidis PT 30 and *Enterococcus faecium* in wheat flour at different water activities. *Biosyst. Eng.* 156:7–16.
- Wang, Y., D. Zhou, and H. Yang. 2022. Metabolic responses of “big six” *Escherichia coli* in wheat flour to thermal treatment revealed by nuclear magnetic resonance spectroscopy. *Appl. Environ. Microbiol.* 88:e00098-22.
- Wiseblatt, L. 1967. Reduction of the microbial populations in flours incorporated into refrigerated foods. *Cereal Chemistry* 44(3):269–280. Available at: https://www.aaccnet.org/publications/cc/backissues/1967/Documents/Chem44_269.pdf.
- Wu, S., S. C. Ricke, K. R. Schneider, and S. Ahn. 2017. Food safety hazards associated with ready-to-bake cookie dough and its ingredients. *Food Control* 73(Part B):986–993.
- Xu, J., S. Liu, J. Song, J. Tang, M.-J. Zhu, P. Gray, and R. Villa-Rojas. 2018. Dry-inoculation method for thermal inactivation studies in wheat flour using freeze-dried *Enterococcus faecium* NRRL B-2354. *LWT – Food Sci. Technol.* 89:10–17.
- Xu, J., D. H. Shah, J. Song, and J. Tang. 2020. Changes in cellular structure of heat-treated *Salmonella* in low-moisture environments. *J. Appl. Microbiol.* 129:434–442. Available at: <https://doi.org/10.1111/jam.14614>. [wheat flour]
- Xu, J., J. Tang, Y. Jin, J. Song, R. Yang, S. S. Sablani, and M.-J. Zhu. 2019. High temperature water activity as a key factor influencing survival of *Salmonella* Enteritidis PT30 in thermal processing. *Food Control* 98:520–528. Available at: <https://doi.org/10.1016/j.foodcont.2018.11.054>. [wheat flour as a carbohydrate-rich matrix]
- Xu, J., R. Yang, Y. Jin, G. Barnett, and J. Tang. 2020. Modeling the temperature-dependent microbial reduction of *Enterococcus faecium* NRRL B-2354 in radio-frequency pasteurized wheat flour. *Food Control* 107:106778. Available at: <https://doi.org/10.1016/j.foodcont.2019.106778>.
- Zhang, G., L. Ma, N. Patel, B. Swaminathan, S. Wedel, and M. P. Doyle. 2007. Isolation of *Salmonella* Typhimurium from outbreak-associated cake mix. *J. Food Prot.* 70:997–1001.
- Zhang, H., E. Yamamoto, J. Murphy, C. Carrillo, K. Hardie, and A. Locas. 2021. Microbiological survey of wheat flour sold at retail in Canada, 2018 to 2019. *J. Food Prot.* 84:647–654. Available at: <https://doi.org/10.4315/JFP-20-297>.
- Zudyte, B., and Z. Luksiene. 2021. Visible light-activated ZnO nanoparticles for microbial control of wheat crop. *J. Photochem. Photobiol. B: Biology* 219:112206.

CORN (MAIZE)

- Anaya, I., A. Aguirrezabal, M. Ventura, L. Comellas, and M. Agut. 2008. Survivability of *Salmonella* cells in popcorn after microwave oven and conventional cooking. *Microbiological Res.* 163:73–79. Available at: <https://doi.org/10.1016/j.micres.2006.03.010>.
- Gilbert, S., R. Lake, P. Cressey, and N. King. 2010. Risk profile: *Salmonella* (non typhoidal) in cereal grains. Institute of Environmental Science and Research Limited, Christchurch, New Zealand. Available at: <https://www.mpi.govt.nz/dmsdocument/24212-risk-profile-salmonella-non-typhoidal-in-cereal-grains>. [wheat, barley, maize, millet, oats, rice, rye, sorghum, triticale]

- Gu, K., A. S. Sekhon, J. K. Richter, Y. Yang, E. Pietrysiak, M. Michael, and G. M. Ganjyal. 2022. Heat resistance comparison of *Salmonella* and *Enterococcus faecium* in cornmeal at different moisture levels. *Int. J. Food Microbiol.* 368:109608.
- Hesseltine, C. W., and R. R. Graves. 1966. Microbiology of flours. *Economic Botany* 20(2):156–168. [wheat, corn]
- Liu, S., S. E. Keller, and N. M. Anderson. 2022. Transfer of *Salmonella* from inert food contact surfaces to wheat flour, cornmeal, and NaCl. *J. Food Prot.* 85:231–237.
- Losio, M. N., E. Dalzini, E. Pavoni, D. Merigo, G. Finazzi, and P. Daminelli. 2017. A survey study on safety and microbial quality of “gluten-free” products made in Italian pasta factories. *Food Control* 73:316–322. [maize flour]
- Ortega Morente, E., H. Abriouel, R. L. López, N. Ben Omar, and A. Gálvez. 2010. Antibacterial activity of carvacrol and 2-nitro-1-propanol against single and mixed populations of foodborne pathogenic bacteria in corn flour dough. *Food Microbiol.* 27:274–279.
- Ozturk, S., S. Liu, J. Xu, J. Tang, J. Chen, R. K. Singh, and F. Kong. 2019. Inactivation of *Salmonella Enteritidis* and *Enterococcus faecium* NRRL B-2354 in corn flour by radio frequency heating with subsequent freezing. *LWT – Food Sci. Technol.* 111:782–789.
- Sperber, W. H., and the North American Millers’ Association Microbiology Working Group. 2007. Role of microbiological guidelines in the production and commercial use of milled cereal grains: a practical approach for the 21st century. *J. Food Prot.* 70:1041–1053. Available at: <https://jfoodprotection.org/doi/pdfplus/10.4315/0362-028X-70.4.1041>. [wheat, corn, oats]
- VanCauwenberge, J. E., R. J. Bothast, and W. F. Kwolek. 1981. Thermal inactivation of eight *Salmonella* serotypes on dry corn flour. *Appl. Environ. Microbiol.* 42:688–691.

OATS

- Abushelaibi, A. A., J. N. Sofos, J. Samelis, and P. A. Kendall. 2003. Survival and growth of *Salmonella* in reconstituted infant cereal hydrated with water, milk or apple juice and stored at 4°C, 15°C and 25°C. *Food Microbiol.* 20:17–25. [wheat, oats, rice]
- Centers for Disease Control and Prevention. 1998. Multistate outbreak of *Salmonella* serotype Agona infections linked to toasted oats cereal – United States, April-May, 1998. *Morb. Mortal. Wkly. Rep.* 47(22):462–464.
- Chick, M., A. Lourenco, A. Maserati, R. C. Fink, and F. Diez-Gonzalez. 2022. Thermal death kinetics of three representative *Salmonella enterica* strains in toasted oats cereal. *Microorganisms* 10(8):1570. Available at: <https://doi.org/10.3390/microorganisms10081570>.
- Deen, B., and F. Diez-Gonzalez. 2019. Assessment of *Pediococcus acidilactici* ATCC 8042 as potential *Salmonella* surrogate for thermal treatments of toasted oats cereal and peanut butter. *Food Microbiol.* 83:187–192.
- Gilbert, S., R. Lake, P. Cressey, and N. King. 2010. Risk profile: *Salmonella* (non typhoidal) in cereal grains. Institute of Environmental Science and Research Limited, Christchurch, New Zealand. Available at: <https://www.mpi.govt.nz/dmsdocument/24212-risk-profile-salmonella-non-typhoidal-in-cereal-grains>. [wheat, barley, maize, millet, oats, rice, rye, sorghum, triticale]
- Hildebrandt, I. M., B. P. Marks, N. M. Anderson, and E. M. Grasso-Kelley. 2020. Reproducibility of *Salmonella* thermal resistance measurements via multilaboratory isothermal inactivation experiments. *J. Food Prot.* 83(4):609–614. [oat flour]

- Kindle, P., Etter, D., Stephan, R., and Johler, S. 2019. Population structure and toxin gene profiles of *Bacillus cereus sensu lato* isolated from flour products. *FEMS Microbiol. Lett.* 366:fnz240. Available at: <https://doi.org/10.1093/femsle/fnz240> [wheat, oats, rye]
- Liu, S., T. He, H. Rafique, L. Zou, and X. Hu. 2022. Effect of low-temperature plasma treatment on the microbial inactivation and physicochemical properties of oat grain. *Cereal Chem.* (online 30 August 2022).
- Russo, E. T., G. Biggerstaff, R. M. Hoekstra, S. Meyer, N. Patel, B. Miller, and R. Quick, for the *Salmonella* Agona Outbreak Investigation Team. 2013. A recurrent, multistate outbreak of *Salmonella* serotype Agona infections associated with dry, unsweetened cereal consumption, United States, 2008. *J. Food Prot.* 76:227–230.
- Silverstolpe, L., U. Plazikowski, J. Kjellander, and G. Vahlne. 1961. An epidemic among infants caused by *Salmonella muenchen*. *J. Appl. Bacteriol.* 24(2):134–142. [infant cereal with oats (contaminated in mill after processing barley contaminated with *Sm.*)]
- Sperber, W. H., and the North American Millers' Association Microbiology Working Group. 2007. Role of microbiological guidelines in the production and commercial use of milled cereal grains: a practical approach for the 21st century. *J. Food Prot.* 70:1041–1053. Available at: <https://jfoodprotection.org/doi/pdfplus/10.4315/0362-028X-70.4.1041>. [wheat, corn, oats]
- Verma, T., and J. Subbiah. 2019. Conical twin-screw extrusion is an effective inactivation process for *Salmonella* in low-moisture foods at temperatures above 65°C. *LWT – Food Sci. Technol.* 114:108369. [oat flour]

RICE

- Abushelaibi, A. A., J. N. Sofos, J. Samelis, and P. A. Kendall. 2003. Survival and growth of *Salmonella* in reconstituted infant cereal hydrated with water, milk or apple juice and stored at 4°C, 15°C and 25°C. *Food Microbiol.* 20:17–25. [wheat, oats, rice]
- Andrews, W. H., C. R. Wilson, P. L. Poelma, A. Romero, and P. B. Mislivec. 1979. Bacteriological survey of sixty health foods. *Appl. Environ. Microbiol.* 37:559–566. Available at: <https://aem.asm.org/content/aem/37/3/559.full.pdf>. [17 flours, 5 grains; positive for *Salmonella* in rye flour, brown rice]
- Centers for Disease Control and Prevention. 2008. Multistate outbreak of *Salmonella* Agona infections linked to rice and wheat puff cereal (final update). Available at: <https://www.cdc.gov/salmonella/2008/rice-wheat-puff-cereal-5-13-2008.html>.
- Chen, J., J. Zhang, L. Zhan, H. Chen, Z. Zhang, C. Huang, and M. Yue. 2022. Prevalence and antimicrobial-resistant characterization of *Bacillus cereus* isolated from ready-to-eat rice products in Eastern China. *Front. Microbiol.* 13:964823. Available at: <https://doi.org/10.3389/fmicb.2022.964823>.
- Gilbert, S., R. Lake, P. Cressey, and N. King. 2010. Risk profile: *Salmonella* (non typhoidal) in cereal grains. Institute of Environmental Science and Research Limited, Christchurch, New Zealand. Available at: <https://www.mpi.govt.nz/dmsdocument/24212-risk-profile-salmonella-non-typhoidal-in-cereal-grains>. [wheat, barley, maize, millet, oats, rice, rye, sorghum, triticale]
- Hoffmann, M., J. Payne, R. J. Roberts, M. W. Allard, E. W. Brown, and J. B. Pettengill. 2015. Complete genome sequence of *Salmonella enterica* subsp. *enterica* serovar Agona 460004 2-1, associated with a multistate outbreak in the United States. *Genome Announc.* 3(4):e00690–15. [puffed rice cereal]

- Jeong, K.-O., S.-S. Kim, S.-H. Park, and D.-H. Kang. 2022. Inactivation of *Salmonella enterica* serovar Typhimurium and *Staphylococcus aureus* in rice by radio frequency heating. *J. Food Prot.* 85:380–383.
- Jin, Y., and J. Tang. 2019. Improved design of aluminum test cell to study the thermal resistance of *Salmonella enterica* and *Enterococcus faecium* in low-water activity foods. *Food Control* 104:343–348. [brown rice flour]
- Park, Y. B., J. Y. Guo, S. M. E. Rahman, J. Ahn, and D.-H. Oh. 2009. Synergistic effect of electrolyzed water and citric acid against *Bacillus cereus* cells and spores on cereal grains. *J. Food Sci.* 74(4):M185–M189. [rice]
- Russo, E. T., G. Biggerstaff, R. M. Hoekstra, S. Meyer, N. Patel, B. Miller, and R. Quick, for the *Salmonella* Agona Outbreak Investigation Team. 2013. A recurrent, multistate outbreak of *Salmonella* serotype Agona infections associated with dry, unsweetened cereal consumption, United States, 2008. *J. Food Prot.* 76:227–230. [puffed rice or wheat]

RYE

- Andrews, W. H., C. R. Wilson, P. L. Poelma, A. Romero, and P. B. Mislivec. 1979. Bacteriological survey of sixty health foods. *Appl. Environ. Microbiol.* 37:559–566. Available at: <https://aem.asm.org/content/aem/37/3/559.full.pdf>. [17 flours, 5 grains; positive for *Salmonella* in rye flour, brown rice]
- Cardoso, R. V. C., A. Fernandes, S. A. Heleno, P. Rodrigues, A. M. Gonzalez-Paramas, L. Barros, and I. C. F. R. Ferreira. 2019. Physicochemical characterization and microbiology of wheat and rye flours. *Food Chem.* 280:123–129.
- Gilbert, S., R. Lake, P. Cressey, and N. King. 2010. Risk profile: *Salmonella* (non typhoidal) in cereal grains. Institute of Environmental Science and Research Limited, Christchurch, New Zealand. Available at: <https://www.mpi.govt.nz/dmsdocument/24212-risk-profile-salmonella-non-typhoidal-in-cereal-grains>. [wheat, barley, maize, millet, oats, rice, rye, sorghum, triticale]
- Keith, W. D., L. J. Harris, and M. W. Griffiths. 1983. Reduction of bacterial levels in flour by pulsed electric fields. *J. Food Proc. Eng.* 21:263–269. [APC in rye flour]
- Kindle, P., Etter, D., Stephan, R., and Johler, S. 2019. Population structure and toxin gene profiles of *Bacillus cereus sensu lato* isolated from flour products. *FEMS Microbiol. Lett.* 366:fnz240. Available at: <https://doi.org/10.1093/femsle/fnz240> [wheat, oats, rye]
- Mäde, D., A.-C. Geuthner, R. Immig, and A. Wicke. 2017. Detection and isolation of Shiga-toxin producing *Escherichia coli* in flour in Germany between 2014 and 2017. *J. Consumer Prot. Food Safety* 12(3):245–253. Available at: <https://link.springer.com/article/10.1007/s00003-017-1113-1>. [wheat, rye]
- Projahn, M., M. C. Lamparter, P. Ganas, A. Goehler, S. C. Lorenz-Wright, D. Maede, A. Fruth, C. Lang, and E. Schuh. 2021. Genetic diversity and pathogenic potential of Shiga toxin-producing *Escherichia coli* (STEC) derived from German flour. *Int. J. Food Microbiol.* 347:109197. Available at: <https://doi.org/10.1016/j.ijfoodmicro.2021.109197>. [wheat, spelt, rye]

BAKING AND VALIDATION STUDIES

- Ahmad, N., I. M. Hildebrandt, S. R. Pickens, S. Vasquez, Y. Jin, S. Liu, L. A. Halik, H.-C. Tsai, S. K. Lau, R. C. D'Souza, S. Kumar, J. Subbiah, H. Thippareddi, M.-J. Zhu, J. Tang, N. M.

- Anderson, E. M. Grasso-Kelley, E. T. Ryser, and B. Marks. 2022. Interlaboratory evaluation of *Enterococcus faecium* NRRL B-2354 as a *Salmonella* surrogate for validating thermal treatment of multiple low-moisture foods. *J. Food Prot.* (online 20 June 2022). [wheat flour]
- Aramouni, F. M., K. K. Kone, J. A. Craig, and D. Y. C. Fung. 1994. Growth of *Clostridium sporogenes* PA 3679 in home-style canned quick breads. *J. Food Prot.* 57:882–886.
- Channaiah, L. H., E. S. Holmgren, M. Michael, N. J. Severt, D. Milke, C. L. Schwan, M. Krug, A. Wilder, R. K. Phebus, H. Thippareddi, and G. Milliken. 2016. Validation of baking to control *Salmonella* serovars in hamburger bun manufacturing, and evaluation of *Enterococcus faecium* ATCC 8459 and *Saccharomyces cerevisiae* as nonpathogenic surrogate indicators. *J. Food Prot.* 79:544–552.
- Channaiah, L. H., M. Michael, J. Acuff, K. Lopez, D. Vega, G. Milliken, H. Thippareddi, and R. Phebus. 2018. Validation of a simulated commercial frying process to control *Salmonella* in donuts. *Foodborne Pathog. Dis.* 15:763–769.
- Channaiah, L. H., M. Michael, J. C. Acuff, K. Lopez, R. K. Phebus, H. Thippareddi, and G. Milliken. 2019. Validation of a nut muffin baking process and thermal resistance characterization of a 7-serovar *Salmonella* inoculum in batter when introduced via flour or walnuts. *Int. J. Food Microbiol.* 294:27–30.
- Channaiah, L. H., M. Michael, J. C. Acuff, R. K. Phebus, H. Thippareddi, and G. Milliken. 2019. Evaluation of thermal inactivation parameters of *Salmonella* in whole wheat multigrain bread. *Food Microbiol.* 82:334–341.
- Channaiah, L. H., M. Michael, J. C. Acuff, R. K. Phebus, H. Thippareddi, and G. Milliken. 2021. Thermal inactivation of *Salmonella* during hard and soft cookies baking process. *Food Microbiol.* 100:103874.
- Channaiah, L. H., M. Michael, J. C. Acuff, R. K. Phebus, H. Thippareddi, M. Olewnik, and G. Milliken. 2017. Validation of the baking process as a kill-step for controlling *Salmonella* in muffins. *Int. J. Food Microbiol.* 250:1–6.
- Channaiah, L. H., M. Michael, J. C. Acuff, D. Vega, K. Lopez, R. K. Phebus, H. Thippareddi, and G. Milliken. 2021. Validation of simulated commercial manufacturing of flour tortillas to control *Salmonella* contamination. *J. Food Safety* 41(2):e12879. Available at: <https://doi.org/10.1111/jfs.12879>.
- Lathrop, A. A., T. Taylor, and J. Schnepf. 2014. Survival of *Salmonella* during baking of peanut butter cookies. *J. Food Prot.* 77:635–639.
- Michael, M., J. Acuff, K. Lopez, D. Vega, R. Phebus, H. Thippareddi, and L. H. Channaiah. 2020. Comparison of survival and heat resistance of *Escherichia coli* O121 and *Salmonella* in muffins. *Int. J. Food Microbiol.* 317:108422.
- Snelling, J., S. Malekmohammadi, T. M. Bergholz, J. Ohm, and S. Simsek. 2020. Evaluation of vacuum steam treatment of hard red spring wheat on flour quality and reduction of *Escherichia coli* O121 and *Salmonella* Enteritidis PT 30. *J. Food Prot.* 83:836–843. Available at: <https://doi.org/10.4315/JFP-19-491>.
- Shrestha, S., W. Birbari, T. Sheehan, and K. A. Glass. 2016. Thermal inactivation of *Salmonella* on sesame-topped bread during baking using high and low oven humidity. *Food Prot. Trends* 36(2):116–124.
- Suehr, Q. J., X. Liu, E. M. Grasso-Kelley, and N. M. Anderson. 2021. Predictive microbial modeling of *Enterococcus faecium* NRRL B-2354 inactivation during baking of a

multicomponent low-moisture food. *J. Food Prot.* 84:1990–2001. Available at: <https://doi.org/10.4315/JFP-21-036>.

Unger, P., L. H. Channaiah, A. Singh, A. S. Sekhon, M. Babb, Y. Yang, and M. Michael. 2021. Validation of brownie baking step for controlling *Salmonella* and *Listeria monocytogenes*. *Food Sci. Nutr.* 9:1574–1583. Available at: <https://doi.org/10.1002/fsn3.2132>.